

JDEVOLUTION PLUS+

SIMPLE INSERTION, NATURAL STABILITY.

FEATURES & ADVANTAGES

- Internal hex connection with lead-in bevel
- Anatomic coronal collar
- Expanding tapered inner body
- Self-cutting capacity in both directions
- Apical cutting blades
- The Connection is universally recognized by all the main CAD CAM platforms' libraries
- Reduces stress concentration on the crestal bone and maximizes bone volume around the implant neck for stable hard and soft tissue
- Makes it possible to achieve high primary stability with low torque and in compromised bone situations



H1.5 mm anodised implant collar and S.L.A. surface treatment on the body.

SINGLE PROSTHETIC CONNECTION. Single prosthetic connection for all diameters, Ø 3.7, Ø 4.3, Ø 5.0, Ø 6.0. Reduced inventory and enhanced working flexibility.

PRODUCT SPECIFICATIONS.

The JDEVOLUTION PLUS+ dental implant is available in the diameters and lengths shown in this chart:

_				
IMPLANT DIAMETER	TIP DIAMETER	ABUTMENT INTERFACE	PLATFORM DIAMETER	LENGTH
Ø 3,7	2.4	3.4	3.7	8 10 11.5 13 15 18
Ø 4,3	2.8	3.4	4.0	6 8 10 11.5 13 15 18
Ø 5,0	3.2	3.4	4.8	6 8 10 11.5 13 15 18
Ø 6,0	4.8	3.4	5.0	6 8 10 11.5 13 15



PRODUCT CATALOGUE

Implants:

impiants:		
Ø 3,7		
EV37080:	JDEvolution Plus+ Ø 3.7 L 8	
EV37100:	JDEvolution Plus+ Ø 3.7 L 10	The second secon
EV37115:	JDEvolution Plus+ Ø 3.7 L 11.5	_ = 2 2
EV37130:	JDEvolution Plus+ Ø 3.7 L 13	
EV37150:	JDEvolution Plus+ Ø 3.7 L 15	
EV37180:	JDEvolution Plus+ Ø 3.7 L 18	8 8 8 8 8 8
Ø 4,3		
EV43060:	JDEvolution Plus+ Ø 4.3 L 6	
EV43080:	JDEvolution Plus+ Ø 4.3 L 8	_
EV43100:	JDEvolution Plus+ Ø 4.3 L 10	_ m H
EV43115:	JDEvolution Plus+ Ø 4.3 L 11.5	
EV43130:	JDEvolution Plus+ Ø 4.3 L 13	
EV43150:	JDEvolution Plus+ Ø 4.3 L 15	3 3 3 3 3 3 3
EV43180:	JDEvolution Plus+ Ø 4.3 L 18	
Ø 5,0	JDEvolution Plus+ Ø 5.0 L 6	
EV50060: EV50080:	JDEvolution Plus+ Ø 5.0 L 8	
EV50100:	JDEvolution Plus+ Ø 5.0 L 10	
EV50100.	JDEvolution Plus+ Ø 5.0 L 11.5	
EV50130:	JDEvolution Plus+ Ø 5.0 L 11.3	
EV50150:	JDEvolution Plus+ Ø 5.0 L 15	8888888
EV50180:	JDEvolution Plus+ Ø 5.0 L 18	
Ø 6,0		
EV60060:	JDEvolution Plus+ Ø 6.0 L 6	
EV60080:	JDEvolution Plus+ Ø 6.0 L 8	
EV60100:	JDEvolution Plus+ Ø 6.0 L 10	
EV60115:	JDEvolution Plus+ Ø 6.0 L 11.5	97777
EV60130:	JDEvolution Plus+ Ø 6.0 L 13	3 3 3 3 3 3
EV60150:	JDEvolution Plus+ Ø 6.0 L 15	
Anodised Imp	plant Collar	
EVA37080:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 8	
EVA37100:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 10	
EVA37115:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 11.5	
EVA37130:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 13	
EVA37150:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 15	
EVA37180:	JDEvolution Plus+ Anodized Collar Ø 3.7 L 18	9 9 9 9 9
Ø 4,3		
EVA43060:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 6	
EVA43080:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 8	
EVA43100:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 10	
EVA43115:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 11.5	💹 🔡 🗮 🗃
EVA43130:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 13	
EVA43150:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 15	
EVA43180:	JDEvolution Plus+ Anodized Collar Ø 4.3 L 18	
Ø 5,0		
EVA50060:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 6	
EVA50080:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 8	_ 🦀 🚟
EVA50100:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 10	
EVA50115:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 11.5	
EVA50130:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 13	
EVA50150:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 15	
EVA50180:	JDEvolution Plus+ Anodized Collar Ø 5.0 L 18	
Ø 6,0	IDEvalution Plus L Anadized College & C. O. L. C.	
EVA60060:	JDEvolution Plus + Anodized Collar Ø 6.0 L 6	
EVA60080:	JDEvolution Plus + Anodized Collar Ø 6.0 L 8	e e e e e e e e e e e e e e e e e e e
EVA60110:	JDEvolution Plus + Anodized Collar Ø 6.0 L 10	
EVA60115: EVA60130:	JDEvolution Plus+ Anodized Collar Ø 6.0 L 11.5 JDEvolution Plus+ Anodized Collar Ø 6.0 L 13	<u> </u>
EVA60130:	JDEVOLUTION Plus+ Anodized Collar Ø 6.0 L 13 JDEvolution Plus+ Anodized Collar Ø 6.0 L 15	
LVAUUIJU.	APEROLUTION I 1037 MIDUIZEU COMAN M 0.0 L 13	

Cover screw:

EVCS: Cover screw JDEvolution Plus+ EVCS6: Cover screw Ø 6.0 JDEvolution Plus+



Healing Abutment:

EVHA43: Healing Abutment Ø 4.0 H 3.0 JDEvolution Plus+ EVHA45: Healing Abutment Ø 4.0 H 5.0 JDEvolution Plus+ EVHA47: Healing Abutment Ø 4.0 H 7.0 JDEvolution Plus+ EVHA53: Healing Abutment Ø 5.0 H 3.0 JDEvolution Plus+ EVHA55: Healing Abutment Ø 5.0 H 5.0 JDEvolution Plus+ Healing Abutment Ø 5.0 H 7.0 JDEvolution Plus+ EVHA57: Healing Abutment Ø 5.0 H 9.0 JDEvolution Plus+ EVHA59: Healing Abutment Ø 6.0 H 3.0 JDEvolution Plus+ EVHA63: Healing Abutment Ø 6.0 H 5.0 JDEvolution Plus+ EVHA65: Healing Abutment Ø 6.0 H 7.0 JDEvolution Plus+ EVHA67: EVHA753: Healing Abutment Ø 7.5 H 3.0 JDEvolution Plus+ Healing Abutment Ø 7.5 H 5.0 JDEvolution Plus+ EVHA755: EVHA54TS: Tissue Lovers Healing Abutment Ø 5.0 H 4.0 JDEvolution Plus+



Impression copings:

OPEN TRAY

EVHA56TS:

EVICOT4C: Impression coping open tray Ø 4.0 JDEvolution Plus+ EVICOT5C: Impression coping open tray Ø 5.0 JDEvolution Plus+ EVICOT6C: Impression coping open tray Ø 6.0 JDEvolution Plus+


EVICOTNEC: Impression coping open tray non engaging JDEvolution Plus+
EVICOTSTSC: Tissue Lovers Impression coping open tray Ø 5.0 JDEvolution Plus+

Tissue Lovers Healing Abutment Ø 5.0 H 6.0 JDEvolution Plus+

CLOSED TRAY

EVICCT4C: Impression coping closed tray \emptyset 4.0 JDEvolution Plus+ EVICCT5C: Impression coping closed tray \emptyset 5.0 JDEvolution Plus+ EVICCT6C: Impression coping closed tray \emptyset 6.0 JDEvolution Plus+

EVICCT1C: Impression coping closed tray direct press fit JDEvolution Plus+



Temporary Abutment:

EVTAEC: Temporary Abutment engaging JDEvolution Plus+
EVTANEC: Temporary Abutment non engaging JDEvolution Plus+

EVTAETSC: Tissue Lovers Temporary Abutment engaging JDEvolution Plus+
EVTANETSC: Tissue Lovers Temporary Abutment non engaging JDEvolution Plus+



Straight Abutment:

EVNSA4520C: Straight Abutment Ø 4.5 H 2.0 JDEvolution Plus+ EVNSA4540C: Straight Abutment Ø 4.5 H 4.0 JDEvolution Plus+ EVNSA5020C: Straight Abutment Ø 5.0 H 2.0 JDEvolution Plus+ EVNSA5040C: Straight Abutment Ø 5.0 H 4.0 JDEvolution Plus+ EVNSA6020C: Straight Abutment Ø 6.0 H 2.0 JDEvolution Plus+ EVNSA6040C: Straight Abutment Ø 6.0 H 4.0 JDEvolution Plus+

EVNSA5020TSC: Tissue Lovers Straight Abutment Ø 5.0 H 2.0 JDEvolution Plus+ EVNSA5040TSC: Tissue Lovers Straight Abutment Ø 5.0 H 4.0 JDEvolution Plus+



Torque recommended 30 Ncm

Torque recommended 30 Ncm



Torque recommended 30 Ncm

GP Abutment:

EVGPA40EC: Gp Abutment engaging Ø 4.0 JDEvolution Plus+
EVGPA40NEC: Gp Abutment non engaging Ø 4.0 JDEvolution Plus+
EVGPAEC: Gp Abutment engaging Ø 5.0 JDEvolution Plus+
EVGPA50NEC: Gp Abutment non engaging Ø 5.0 JDEvolution Plus+
EVGPA60EC: Gp Abutment engaging Ø 6.0 JDEvolution Plus+

EV15GPAEC: GP Abutment 15° JDEvolution Plus+ EV25GPAEC: GP Abutment 25° JDEvolution Plus+



8 8

Anatomic Abutment:

EV15A15: Anatomic Abutment H 1.5 JDEvolution Plus

EV15A15N: 15° Angulated Anatomic Abutment Ø 4.5 H 1.5 JDEvolution Plus

EV15A30: Anatomic Abutment H 3.0 JDEvolution Plus

EV15A30N: 15° Angulated Anatomic Abutment Ø 4.5 H 3.0 JDEvolution Plus EV25A15: Anatomic Abutment Angulated 25° H 1.5 JDEvolution Plus EV25A30: Anatomic Abutment Angulated 25° H 3.0 JDEvolution Plus



Torque recommended 30 Ncm

Rapid Abutment:

EVRA15C: Rapid Abutment H 1.5 JDEvolution Plus+
EVRA30C: Rapid Abutment H 3.0 JDEvolution Plus+
EVRAHC Healing cap Rapid Abutment JDEvolution Plus+
EVRAIC Coping Rapid abutment JDEvolution Plus+
EVRAAR Abutment replica rapid abutment

Torque recommended 30 Ncm



Wax up Abutment:

EVWAEC: Wax-up Abutment engaging JDEvolution Plus+
EVWANEC: Wax-up Abutment non engaging JDEvolution Plus+

Torque recommended 30 Ncm



Cobalt-Chrome Abutment:

EVCCEC: Cobalt-Chrome Abutment engaging JDEvolution Plus+
EVCCNEC: Cobalt-Chrome Abutment non engaging JDEvolution Plus+

Torque recommended 30 Ncm



Gold Abutment:

EVGAEC: Gold Abutment engaging JDEvolution Plus+
EVGANEC: Gold Abutment non engaging JDEvolution Plus+

Torque recommended 30 Ncm



Conical Abutment:

EVNCA15C: Straight Conical Abutment H 1.5 JDEvolution Plus+ EVNCA30C: Straight Conical Abutment H 3.0 JDEvolution Plus+ EVNCA70C: Straight Conical Abutment H 7.0 JDEvolution Plus+ EVNCA90C: Straight Conical Abutment H 9.0 JDEvolution Plus+

EVNCA15TSC: Tissue Lovers Straight Conical Abutment H 1.5 JDEvolution Plus+
EVNCA30TSC: Tissue Lovers Straight Conical Abutment H 3.0 JDEvolution Plus+
EVNCA40TSC: Tissue Lovers Straight Conical Abutment H 4.0 JDEvolution Plus+
EVNCA50TSC: Tissue Lovers Straight Conical Abutment H 5.0 JDEvolution Plus+

EVCA1725C: Conical Abutment Angulated 17° H 2.5 JDEvolution Plus EVCA1735C: Conical Abutment Angulated 17° H 3.5 JDEvolution Plus EVCA3025C: Conical Abutment Angulated 30° H 2.5 JDEvolution Plus FVCA3035C: Conical Abutment Angulated 30° H 3.5 JDEvolution Plus Conical Abutment Tissue Angulated 17° H 2.5 JDEvolution Plus EVCA1725TSC: EVCA1735TSC: Conical Abutment Tissue Angulated 17° H 3.5 JDEvolution Plus Conical Abutment Tissue Angulated 30° H 2.5 JDEvolution Plus EVCA3025TSC: EVCA3035TSC: Conical Abutment Tissue Angulated 30° H 3.5 JDEvolution Plus

EVCAPS: Prosthetic screw Conical Abutment JDEvolution Plus+
EVCASA: Screw for angulated Conical Abutment JDEvolution Plus+
EVCAPSA Prosthetic screw angulated channel for Conical Abutment

EVCAICOTEC: Impression coping open tray Conical Abutment engaging JDEvolution Plus+

EVCAICOTC: Impression coping open tray Conical Abutment JDEvolution Plus+
EVCAICOTLC: Impression coping open tray H12 Conical Abutment JDEvolution Plus+

EVCAICCTC Impression coping closed tray Conical Abutment

EVCAHCL: Healing cap Conical Abutment H 6.0 JDEvolution Plus+

EVCAHC: Healing cap Conical Abutment H 3.5 JDEvolution Plus+

EVCAHCB: Healing cap peek Conical Abutment H 3.5 JDEvolution Plus+

EVCAGPAEC: GP for Conical Abutment engaging JDEvolution Plus+
EVCAGPANEC: GP for Conical Abutment non engaging JDEvolution Plus+

EVCATANEWSC: Temporary abutment smooth for welding conical abutment JDEvolution Plus+

EVCATANEWC: Temporary cylinder non engaging Conical Abut. for welding JDEvolution Plus+

Temporary cylinder non engaging Conical Abutment JDEvolution Plus+

EVCAWANEC: Wax up cylinder Conical Abutment non engaging JDEvolution Plus+

EVCAAR Abutment replica Conical Abutment

EVCATANEC:




Torque recommended 30 Ncm



Torque recommended 15 Ncm Torque recommended 30 Ncm Torque recommended 15 Ncm

Torque recommended 15 Ncm





Prosthetic screw:

EVS: Abutment Screw JDEvolution Plus+

EVSA: Abutment screw angulated channel JDEvolution Plus+

Torque recommended 30 Ncm





Interfaces:

EVINTEC: Interface engaging for JDEvolution Plus+
EVINTNEC: Interface non engaging for JDEvolution Plus+

70287C: Interface non engaging for Conical Abutment JDEvolution Plus+

Torque recommended 30 Ncm



AS Abutment:

EVASCEC: AS Abutment engaging for JDEvolution Plus+ EVASCNEC: AS Abutment non engaging for JDEvolution Plus+

Torque recommended 30 Ncm



TiBase, ScanPost, JDScanBody and Implant Replica CAD CAM:

EVSBCEC: JDScanBody for JDEvolution Plus+ EVCASBCEC: JDScanBody for Conical Abutment

EVSCPC: ScanPost JDEvolution Plus+

TiBase engaging Ø4.25 H 0.5 C 4.7 JDEvolution Plus+ **EVTIBC: EVTIBNEC:** TiBase non engaging Ø4.25 H 0.5 C 4.7 JDEvolution Plus+ TiBase engaging Ø4.25 H 1.5 C 4.7 JDEvolution Plus+ EVTIB15C: **EVTIB15NEC:** TiBase non engaging Ø4.25 H 1.5 C 4.7 JDEvolution Plus+ EVTIB30C: TiBase engaging Ø4.25 H 3.0 C 4.7 JDEvolution Plus+ **EVTIB30NEC:** TiBase non engaging Ø4.25 H 3.0 C 4.7 JDEvolution Plus+ **EVTIBNC:** TiBase engaging long Ø4.4 H 0.5 C 7.7 JDEvolution Plus+ TiBase non engaging long Ø4.4 H 0.5 C 7.7 JDEvolution Plus+ **EVTIBNENC:** TiBase engaging long Ø4.4 H 1.5 C 7.7 JDEvolution Plus+ EVTIB15NC: **EVTIB15NENC:** TiBase non engaging long Ø4.4 H 1.5 C 7.7 JDEvolution Plus+ TiBase engaging long Ø4.4 H 3.0 C 7.7 JDEvolution Plus+ EVTIB30NC: TiBase non engaging long Ø4.4 H 3.0 C 7.7 JDEvolution Plus+ **EVTIB30NENC:**

EVTIB15TSC: Tissue Lovers TiBase engaging Ø4.25 H 1.5 C 4.7 JDEvolution Plus+
EVTIB15NETSC: Tissue Lovers TiBase non engaging Ø4.25 H 1.5 C 4.7 JDEvolution Plus+
EVTIB30TSC: Tissue Lovers TiBase engaging Ø4.25 H 3.0 C 4.7 JDEvolution Plus+
EVTIB30NETSC: Tissue Lovers TiBase non engaging Ø4.25 H 3.0 C 4.7 JDEvolution Plus+

EVSCBOW ScanBody for TiBase

EVCAITEC: Interface CAD CAM engaging for Conical Abutment H 7.5

EVCAITC: Interface CAD CAM for Conical Abutment H 7.5


EVCATIBC: Interface CAD CAM for Conical Abutment H 5.0

EVANCN: DAS*Implant Replica CAD CAM for JDEVolution Plus+

EVCAARCN DAS*Abutment Replica CAD CAM for Conical Abutment

EVPMNC: JD Pre-milled blanks and abutment screw JDEvolution Plus+

*Direct Analog Screw





Note: Please contact info@jdentalcare.com for the digital library for Exocad, 3Shape and Dental Wings software.

Ball Abutment:

EVBA15: Ball Abutment H 1.5 JDEvolution Plus+ EVBA30: Ball Abutment H 3.0 JDEvolution Plus+ EVBA50: Ball Abutment H 5.0 JDEvolution Plus+

EVBAA Ball Abutment replica

EVBAHC Cap attachment housing and elastic retentive cap Ball Abutment

EVBAN Elastic retentive cap Ball Abutment



Emi Abutment:

EVEMIHC EVEMIN

FVFMI15: Emi Abutment H 1.5 JDEvolution Plus+ Emi Abutment H 3.0 JDEvolution Plus+ EVEMI30: EVEMI50: Emi Abutment H 5.0 JDEvolution Plus+ **EVEMISCK** Smart cap attachment housing Emi Abutment

> Cap attachment housing and elastic retentive cap Emi Abutment Elastic retentive cap standard Emi Abutment - Retention 1,2 Kg

EVEMIH Cap attachment housing Emi Abutment Impression coping Plastic for Emi Abutment **EVEMIIC EVEMIICS** Impression coping Steel for Emi Abutment

EVEMINT Elastic retentive cap white Emi Abutment - Retention 1,8 Kg Elastic retentive cap yellow Emi Abutment - Retention 0,6 Kg **EVEMINY** Elastic retentive cap purple Emi Abutment - Retention 2,5 Kg **EVEMINP**

EVEMINB Elastic retentive cap for laboratory Emi Abutment

EVEMIA Emi Abutment analog

EVEMIET Insertion and Extractor Tool for Caps Emi Abutment

Implant replica:

EVAN: Implant replica JDEvolution Plus+

Bone Mill:

Bone Mill Ø 5.0 and Bone Mill guide JDEvolution Plus+ JDBMNNC: JDBM6NC: Bone Mill Ø 6.0 and Bone Mill guide JDEvolution Plus+

JDBMGN: Bone Mill guide JDEvolution Plus+

Implant and prosthetic drivers:

EVID: Implant driver JDEvolution Plus+

EVIDL: Implant driver long JDEvolution Plus+

EVSDPF15: Screwdriver hex 1.27 for torque wrench L15 JDEvolution Plus+

EVSDPF20: Screwdriver hex 1.27 for torque wrench L20 JDEvolution Plus+

EVSDPF25: Screwdriver hex 1.27 for torque wrench L25 JDEvolution Plus+

Screwdriver hex 1.27 for torque wrench L35 JDEvolution Plus+ EVSDPF35:

EVSDCAF Screwdriver torque wrench Conical Abutment

Screwdriver hex 1.27 machine prosthetic L20 JDEvolution Plus+ EVSDP20: EVSDP25: Screwdriver hex 1.27 machine prosthetic L25 JDEvolution Plus+

EVSDP30: Screwdriver hex 1.27 machine prosthetic L30 JDEvolution Plus+

Screwdriver machine Conical Abutment **EVSDCA**

Screwdriver screw angulated for torque wrench L25 EVSDPF25A Screwdriver screw angulated for torque wrench L30 EVSDPF30A

JDG JD Guide for the full arch implant surgery

Conical Abutment Aligning Instrument for JD Evolution Plus+ **EVAMT:**

EVSUD JD Surgical Driver

Direction indicator:

Direction indicator JDEvolution Plus+ JDDI **JDDIS** Short direction indicator JDEvolution Plus+

JDDI17 17° Angulated direction indicator JDEvolution Plus+ JDDI30 30° Angulated direction indicator JDEvolution Plus+ 45° Angulated direction indicator JDEvolution Plus+ JDDI45
























Surgical Driver

JD EVOLUTION PLUS+ DRILLING PROTOCOLS.

It is recommended to adhere to the indications of the following drilling sequence to ensure optimal primary stability of the implant. **Site preparation in maxilla.**

	HEALED	BONE	POST EXTRACTIVE BONE		
IMPLANT DIAMETER	SOFT BONE	MEDIUM-DENSE BONE	SOFT BONE	MEDIUM-DENSE BONE	
Ø 3,7	2.0 2.4 2.8 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 up to the first laser mark L6mm	2.0 2.4 2.8 at the entrance	2.0 2.4 2.8 at the entrance	
Ø 4,3	2.0 2.4 2.8 3.2 at the entrance	2.0 2.4 2.8 3.2 up to the first laser mark L6-8mm 3.6 at the entrance	2.0 2.4 2.8 3.2 at the entrance	2.0 2.4 2.8 3.2 at the entrance	
Ø 5,0	2.0 2.4 2.8 3.2 3.6 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 3.6 up to the first laser mark L6mm 4.0 at the entrance	2.0 2.4 2.8 3.2 3.6 at the entrance up to the first laser mark L6mm	2.0 2.4 2.8 3.2 3.6 at the entrance up to the first laser mark L6mm	
Ø 6,0	2.0 2.4 2.8 3.2 3.6	2.0 2.4 2.8 3.2 3.6 4.0 4.4 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 3.6 4.0	2.0 2.4 2.8 3.2 3.6 4.0	




Site preparation in mandible.

HEALED BONE	POST EXTRACTIVE BONE

MPLANT IAMETER	SOFT BONE	MEDIUM-DENSE BONE	SOFT BONE	MEDIUM-DENSE BONE
Ø 3,7	2.0 2.4 2.8 3.2 3.6 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 3.6 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 at the entrance	2.0 2.4 2.8 3.2 at the entrance
Ø 4,3	2.0 2.4 2.8 3.2 3.6 4.0 up to the 2nd laser mark L8mm	2.0 2.4 2.8 3.2 3.6 4.0 up to the 2nd laser mark L8mm 4.4 up to the first laser mark L6mm	2.0 2.4 2.8 3.2 3.6 at the entrance	2.0 2.4 2.8 3.2 3.6 at the entrance
Ø 5,0	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 at the entrance	2.0 2.4 2.8 3.2 3.6 4.0 at the entrance
Ø 6, 0	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 for the first 8mm	2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8 for the first 8mm	2.0 2.4 2.8 3.2 3.6 4.0 4.4	2.0 2.4 2.8 3.2 3.6 4.0 4.4





Note: All dimensions are expressed in millimetres.